

# CUMMINS Marine GENSET

## Specifications :

Price	?1000-?10000
Brand Name	CHINLION
Model Number	CCFJ24JW
Place of Origin	CHINA
Min.Order Quantity	1
Payment Terms	T/T?L/C
Supply Ability	100UNITS
Delivery Detail	30DAYS
Packaging Details	WOOD 20GP

## Detail Introduction :

### CUMMINS 50Hz

Genset model	Output power		Engine model	Bore*Stroke	CYL	Displacement	C/R	Fuel consumption	Dimension	Weight
	KW	KVA		(mm)		?L?		L/h	(mm)	(Kg)
CCFJ30JW	30	37.5	4BTA3.9-GM47	102x102	4	3.9	17.3:1	6.39	1650*850*1270	760
CCFJ40JW	40	50	4BTA3.9-GM47	102x102	4	3.9	17.3:1	10.02	1740*850*1270	800
CCFJ50JW	50	63	6BT5.9-GM83	102x120	6	5.9	17.3:1	12.47	1900*895*1300	1000
CCFJ64JW	64	80	6BT5.9-GM83	102x120	6	5.9	17.3:1	15.96	1900*895*1300	1100
CCFJ75JW	75	93.75	6BT5.9-GM83	102x120	6	5.9	17.3:1	18.71	1920*895*1300	1250
CCFJ90JW	90	112.5	6BTA5.9-GM100	102x120	6	5.9	17.3:1	22.45	1995*895*1300	1300
CCFJ100JW	100	125	6CT8.3-GM115	114x135	6	8.3	17.3:1	24.94	2110*860*1360	1650
CCFJ120JW	120	150	6CTA8.3-GM155	114x135	6	8.3	17.3:1	29.93	2110*860*1360	1700
CCFJ150JW	150	187.5	6LTAA8.9-GM200	114x145	6	8.9	16.6:1	31.8	2210*860*1400	1870
CCFJ180JW	180	225	6LTAA8.9-GM200	114x145	6	8.9	16.6:1	38.16	2210*860*1400	1890
CCFJ200JW	200	250	NTA855-DM	140x152	6	14	14.0:1	48.94	2760*995*1790	3100
CCFJ200JW	200	250	N855-DM	140X152	6	14	14.0:1	48.94	2760*995*1790	3100
CCFJ250JW	250	313	NTA855-DM	140x152	6	14	14.0:1	61.18	2760*995*1790	3180
CCFJ250JW	250	313	N855-DM	140x152	6	14	14.0:1	61.18	2760*995*1790	3180

CCFJ280JW	280	350	NTA855-DM	140x152	6	14	14.0:1	68.52	2998*995*1790	3250
CCFJ280JW	280	350	N855-DM	140x152	6	14	14.0:1	68.52	2998*995*1790	3250
CCFJ300JW	300	375	KTA19-DM	159x159	6	19	14.5:1	44.8	3170*1000*1905	3750
CCFJ320JW	320	400	K19-DM	159x159	6	19	13.9:1	49.5	3170*1000*1905	3750
CCFJ350JW	350	438	KTA19-DM	159x159	6	19	13.9:1	49.5	3170*1000*1905	3800
CCFJ350JW	350	438	K19-DM	159x159	6	19	13.9:1	49.5	3170*1000*1905	3800
CCFJ400JW	400	500	KTA19-DM	159x159	6	19	13.9:1	54.2	3170*1000*1905	3950
CCFJ400JW	400	500	K19-DM	159x159	6	19	13.9:1	54.2	3170*1000*1905	3950
CCFJ500JW	500	625	KT38-DM	159x159	12	38	15.5:1	78.5	3950*1500*2500	6200
CCFJ600JW	600	750	KTA38-DM	159x159	12	38	14.5:1	87.5	4050*1400*268	6550
CCFJ650JW	650	813	KTA38-DM	159x159	12	38	14.5:1	78.5	4050*1400*2680	6980
CCFJ700JW	700	875	K38-DM	159x159	12	38	13.9:1	103.7	4100*1500*2500	6500
CCFJ800JW	800	1000	KTA38-DM	159x159	12	38	13.9:1	109.4	4100*1500*2500	7000
CCFJ800JW	800	1000	K38-DM	159x159	12	38	13.9:1	109.4	4100*1500*2500	7000
CCFJ1000JW	1000	1250	K50-DM	159x159	12	38	15.0:1	141.7	4250*1500*2500	7500

**CUMMINS 60Hz**

Genset model	Output power		Engine model	Bore*Stroke (mm)	CYL	Displacement ?L?	C/R	Fuel consumption L/h	Dimension (mm)
	KW	KVA							
CCFJ40JW	40	50	4BTA3.9-GM65	102x102	4	3.9	17.3:1	10.02	1740*850*1270
CCFJ50JW	50	62.5	4BTA3.9-GM65	102x102	4	3.9	17.3:1	12.53	1740*850*1270
CCFJ64JW	64	80	6BT5.9-GM100	102x120	6	5.9	17.3:1	15.96	1905*895*1300
CCFJ75JW	75	93.75	6BT5.9-GM100	102x120	6	5.9	17.3:1	18.68	1920*895*1300
CCFJ90JW	90	112.5	6BTA5.9-GM120	102x120	6	5.9	17.3:1	22.41	1995*895*1300
CCFJ100JW	100	125	6BTA5.9-GM120	102x120	6	5.9	17.3:1	24.94	2110*895*1360
CCFJ120JW	120	150	6CTA8.3-GM175	114x135	6	8.3	17.3:1	29.93	2110*860*1360
CCFJ150JW	150	187.5	6CTA8.3-GM175	114x135	6	8.3	17.3:1	37.41	2685*860*1790
CCFJ250JW	250	312.5	NTA855-DM	140x152	6	14	14.0:1	61.18	2760*995*1790
CCFJ250JW	250	312.5	N855-DM	140x152	6	14	14.0:1	61.18	2760*995*1790
CCFJ280JW	280	350	NTA855-DM	140x152	6	14	14.0:1	66.07	2850*995*1790

CCFJ280JW	280	350	N855-DM	140×152	6	14	14.0:1	66.07	2850*995*1790
CCFJ350JW	350	437.5	KTA19-DM	159×159	6	19	13.9:1	84.82	3170*1000*1905
CCFJ380JW	380	475	K19-DM	159×159	6	19	13.9:1	95	3170*1000*1905
CCFJ400JW	400	500	KTA19-DM	159×159	6	19	13.9:1	96.94	3170*1000*1905
CCFJ400JW	400	500	K19-DM	159×159	6	19	13.9:1	96.94	3170*1000*1905
CCFJ450JW	450	562.5	KTA19-DM	159×159	6	19	13.9:1	109.06	3950*1500*2500
CCFJ600JW	600	625	KTA38-DM	159×159	12	38	13.9:1	146.11	4100*1500*2500
CCFJ700JW	700	875	KTA38-DM	159×159	12	38	14.0:1	170.47	4100*1500*2500
CCFJ720JW	720	900	KTA38-DM	159×159	12	38	14.0:1	180	4100*1500*2500
CCFJ720JW	720	900	K38-DM	159×159	12	38	14.0:1	180	4100*1500*2500
CCFJ800JW	800	1000	KTA38-DM	159×159	12	38	14.5:1	197.82	4100*1500*2500
CCFJ800JW	800	1000	K38-DM	159×159	12	38	14.5:1	197.82	4100*1500*2500
CCFJ900JW	900	1125	KTA38-DM	159×159	12	38	14.5:1	219.18	4250*1500*2500
CCFJ1150JW	1150	1438	K50-DM	159×159	12	50	13.9:1	287.5	4250*1500*2500