

XPE0810 Mobile Jaw Crusher

Specifications :

Price	2200000
Brand Name	XCMG
Place of Origin	XUZHOU
Min.Order Quantity	1
Payment Terms	T/T
Supply Ability	100
Delivery Detail	45DAYS
Packaging Details	RORO

Detail Introduction : Overview

Quick Details

Applicable Industries: Construction works , Energy & Mining Showroom Location: United States, Brazil, India, Russia Condition: New Type: Jaw Crusher Capacity(t/h): 300~400t/h Place of Origin: Jiangsu, China Brand Name: XCMG Dimension(L*W*H): 950*1250 mm Weight: 65000kg Warranty: 1 Year Marketing Type: Hot Product 2019 Machinery Test Report: Provided



Video outgoing-inspection: Provided Warranty of core components: 1 Year Core Components: PLC, Pressure vessel, Gear, Motor, Engine, Bearing, Gearbox, Pump Key Selling Points: Long lifetime, Energy-saving, Large power engine, Environmental After-sales Service Provided: Engineers available to service machinery overseas, Video technical support, Free spare parts, Online support, Field installation, commissioning and training, Field maintenance and repair service Local Service Location: Egypt, Canada, Turkey, United Kingdom, Italy, France, Germany, Viet Nam, Philippines, Peru, Saudi Arabia, Indonesia, Pakistan, Mexico, Spain, Thailand, Japan, Malaysia, Australia, Morocco, Kenya, Argentina, South Korea, Chile, UAE, Colombia, Algeria, Sri Lanka, Romania, Bangladesh, South Africa, Kazakhstan, Ukraine, Kyrgyzstan, Nigeria, Uzbekistan, Tajikistan Certification: ISO CE Supply Ability Supply Ability

1000 Unit/Units per Year Packaging & Delivery

Packaging Details Comply with export packaging requirements Port Any China Port Lead Time:

Quantity(Units)	1 - 2	>2
Est. Time(days)	15	To be negotiated

Products Description







PRODUCT DESCRIPTION

XCMG official manufacturer XPE0912 Mobile Jaw Crushers.

Application: coarse crushing and primary crushing. **Applicable to:**Natural stones with high and medium hardness?Recycled aggregates?Mines. **Product highlights:** 1.Deep V-shaped cavity crusher;

2.Independent primary screening sub-machine; 3.Simple and visual human-machine interaction system; 4.Hydraulically adjusted discharge opening of the crusher; 5.Folded conveyor, convenient for transportation; 6.Equipped with de-ironing separator.

Opeenication	
Product model	XPE0912
Maximum feeding dimension	760mm
Crusher openings size	950×1250 mm
Processing capacity	300~400t/h
Machine weight	65t
Engine power	354kW

Product Show













